

Crawley Distributing Inc. 2005-A Catalogue



Pro Slot Limited

| | | | | | |
|---------------|--|-------|----------|--------|---|
| PRO-106-40 | X-12 Armature, Hemi wound, .510 diameter, 40 degree timing. | 25.30 | ... | Each | A |
| PRO-111-C2626 | 18 turn x 24.5 gauge scale racing X-blank armature w/ comm cap, .480". | 45.00 | ... | Each | A |
| PRO-2000 | "Speed FX" 16D balanced motor. | 12.99 | ... | Each | A |
| PRO-2001 | "Speed FX" super 16D balanced motor. | 13.99 | ... | Each | A |
| PRO-2002 | "Speed FX" 16D balanced motor, double security sealed. | 13.49 | ... | Each | A |
| PRO-2003 | "Speed FX" super 16D balanced motor, double security sealed. | 14.49 | ... | Each | A |
| PRO-2004 | "Speed FX" 16D/ super 16D motor set up. | 11.66 | ... | Each | A |
| PRO-2005 | "Speed FX" 16D/ super 16D motor can. | 3.99 | ... | Each | A |
| PRO-2006 | "Speed FX" 16D balanced armature. | 8.29 | ... | Each | A |
| PRO-2007 | "Speed FX" super 16D balanced armature. | 9.28 | ... | Each | A |
| PRO-2008 | "Speed FX" 16D/super 16D endbell blank. | 1.99 | ... | Each | A |
| PRO-2009 | "Speed FX" 16D/super 16D complete endbell. | 3.99 | ... | Each | A |
| PRO-2010 | "Speed FX" 16D/super 16D endbell brush hoot & heat sink set. | 3.98 | | Set | A |
| PRO-2011 | "Speed FX" 16D/super 16D endbell spring cup set. | 1.35 | | Pair | A |
| PRO-2012 | "Speed FX" 16D/super 16D endbell screw set. | 0.70 | .. | 4/pcs. | A |
| PRO-2013 | "Speed FX" 16D/super 16D double overhead springs. | 1.00 | | Pair | A |
| PRO-2014 | "Speed FX" 16D/super 16D motor brushes. | 6.60 | .. | 6 Pair | A |
| PRO-2015 | "Speed FX" 16D/super 16D endbell motor bushings. | 3.60 | 6 Pieces | | A |
| PRO-2016 | "Speed FX" 16D/super 16D matched magnets. | 8.00 | | Pair | A |
| PRO-207-A | Cobalt 12 armature, .459" diameter, .860 long, 15 degree timing. | 32.44 | ... | Each | A |
| PRO-207-B | Cobalt 12 armature, .480" diameter, .965" long, 15 degree timing. | 32.44 | ... | Each | A |
| PRO-2100 | "Speed FX" 16D/super 16D blueprinted set up. | 15.00 | ... | Each | A |
| PRO-2101 | "Speed FX" blueprinted super 16D motor. | 26.99 | ... | Each | A |
| PRO-2102 | "Speed FX" blueprinted 16D motor. | 25.99 | ... | Each | A |
| PRO-2103-25 | "Speed FX" blueprinted super 16D motor w/ unbalanced armature, 25 degree timing. | 39.00 | ... | Each | A |
| PRO-2103-38 | "Speed FX" blueprinted super 16D motor w/ unbalanced armature, 38 degree timing. | 39.00 | ... | Each | A |
| PRO-2103-45 | "Speed FX" blueprinted super 16D motor w/ unbalanced armature, 45 degree timing. | 39.00 | ... | Each | A |
| PRO-2103-50 | "Speed FX" blueprinted super 16D motor w/ unbalanced armature, 50 degree timing. | 39.00 | ... | Each | A |
| PRO-2104-25 | "Speed FX" blueprinted super 16D motor w/ #700 armature, 25 degree timing. | 40.00 | ... | Each | A |
| PRO-2104-38 | "Speed FX" blueprinted super 16D motor w/ #700 armature, 38 degree timing | 40.00 | ... | Each | A |
| PRO-2104-45 | "Speed FX" blueprinted super 16D motor w/ #700 armature, 45 degree timing | 40.00 | ... | Each | A |
| PRO-2104-50 | "Speed FX" blueprinted super 16D motor w/ #700 armature, 50 degree timing | 40.00 | ... | Each | A |
| PRO-2105-25 | "Speed FX" blueprinted super 16D motor w/ #700S Outlaw armature, 25 | | | | |

Slot Car Racing is our only business

Crawley Distributing Inc. 2005-A Catalogue

| | | | | | |
|-----------------|--|--------|-----|-------|---|
| | degree timing. | 40.00 | ... | Each | A |
| PRO-2105-38 | "Speed FX" blueprinted super 16D motor w/ #700S Outlaw armature, 38 degree timing. | 40.00 | ... | Each | A |
| PRO-2105-45 | "Speed FX" blueprinted super 16D motor w/ #700S Outlaw armature, 45 degree timing. | 40.00 | ... | Each | A |
| PRO-2105-50 | "Speed FX" blueprinted super 16D motor w/ #700S Outlaw armature, 50 degree timing. | 40.00 | ... | Each | A |
| PRO-2106-25 | "Speed FX" blueprinted 16D motor w/ unbalanced #706 armature, 25 degree timing. | 39.00 | ... | Each | A |
| PRO-2106-38 | "Speed FX" blueprinted 16D motor w/ unbalanced #706 armature, 38 degree timing.. | 39.00 | ... | Each | A |
| PRO-2106-45 | "Speed FX" blueprinted 16D motor w/ unbalanced #706 armature, 45 degree timing. | 39.00 | ... | Each | A |
| PRO-2106-50 | "Speed FX" blueprinted 16D motor w/ unbalanced #706 armature, 50 degree timing. | 39.00 | ... | Each | A |
| PRO-2107-25 | "Speed FX" blueprinted 16D motor w/ balanced #706 armature, 25 degree timing. | 40.00 | ... | Each | A |
| PRO-2107-38 | "Speed FX" blueprinted 16D motor w/ balanced #706 armature, 38 degree timing. | 40.00 | ... | Each | A |
| PRO-2107-45 | "Speed FX" blueprinted 16D motor w/ balanced #706 armature, 45 degree timing. | 40.00 | ... | Each | A |
| PRO-2107-50 | "Speed FX" blueprinted 16D motor w/ balanced #706 armature, 50 degree timing. | 40.00 | ... | Each | A |
| PRO-211-B | Group 27 armature, .480" diameter, .440" stack length, .935" overall length. Fail safe commutator. | 49.00 | ... | Each | A |
| PRO-211-D | Group 27 armature .480" diameter, .440" stack length, .869 overall length. Fail safe commutator. | 49.00 | ... | Each | A |
| PRO-211-F | Group 27 armature wound with flat wire. | 49.00 | ... | Each | A |
| PRO-220-C1724 | 17 turn x 24 gauge open armature, .480", .850" long. | 57.50 | ... | Each | A |
| PRO-220-C1824 | 18 turn x 24 gauge open armature, .480", .850" long. | 57.50 | ... | Each | A |
| PRO-220-C1824.5 | 18 turn x 24.5 gauge open armature, .480", .850" long. | 57.50 | ... | Each | A |
| PRO-221-A | Mark 7 EDM open (group 7) armature 15 turn x 24 gauge, .480" diameter, .860" long. | 57.50 | ... | Each | A |
| PRO-314-12 | Box stock/World 12 ready-to-run car w/ 723 motor & # 317 perimeter spring steel chassis. | 113.00 | ... | Each | A |
| PRO-314-20 | Box stock/World 20 ready-to-run car w/ 730 motor & # 317 perimeter spring steel chassis. | 113.00 | ... | Each | A |
| PRO-315 | The "Pocket Rocket" ready to run car with steel box stock chassis and "C" can open class motor. Armature is a 30 turn x 26 gauge wind and the Gold Dust motor brushes are shunted. | 147.50 | ... | Each | A |
| PRO-317 | Spring steel perimeter box stock chassis. | 39.00 | ... | Each | A |
| PRO-317-04 | Spring steel perimeter box stock chassis, short wheelbase. | 39.00 | ... | Each | A |
| PRO-318 | Spring steel tripod box stock chassis. | 39.00 | ... | Each | A |
| PRO-318-04 | Spring steel tripod box stock chassis, short wheelbase. | 39.00 | ... | Each | A |
| PRO-319 | USRA spec 15 chassis. | 39.00 | ... | Each | A |
| PRO-320 | "Stingray" super speedway box stock chassis | 39.00 | ... | Each | A |
| PRO-607 | 3/32drill blank axles. | 11.94 | ... | 6 cd. | A |

Slot Car Racing is our only business

Crawley Distributing Inc. 2005-A Catalogue

| | | | | | |
|------------|--|-------|------|---------|---|
| PRO-608 | "Pro Turn" T5 precision torx driver. Fits # 717 Torx screws. 5 year free replacement guarantee. | 9.00 | ... | Each | A |
| PRO-609 | "Pro Turn" .050" precision allen driver. 5 year free replacement guarantee. | 8.50 | ... | Each | A |
| PRO-610 | Super light 1/2" front wheels. | 1.50 | | Pair | A |
| PRO-611 | Teflon spring insulation. | 5.94 | ... | 6 cd. | A |
| PRO-613 | Silver plated shunt wire, 12" long. | 5.94 | ... | 6 cd. | A |
| PRO-614 | Silver plated shunt wire, 10' roll. | 8.00 | ... | Each | A |
| PRO-618 | Assembled C-can endbell for Pro Slot & Champion motors, undrilled. | 10.50 | ... | Each | A |
| PRO-619 | Super flex 18 gauge Silicone leadwire w/ clips installed. | 12.00 | .. | 6 sets | A |
| PRO-621 | 3' roll of silicone lead wire. | 3.00 | ... | Each | A |
| PRO-622 | Super flex 18 gauge silicone leadwire, 10' long. | 6.00 | ... | Each | A |
| PRO-623 | Production motor brushes. | 9.60 | .. | 6/pair | A |
| PRO-624 | nickel plated guide clips. | 6.90 | .. | 6 pair | A |
| PRO-625 | Nickel plated internal guide clips. | 6.90 | .. | 6 pair | A |
| PRO-634 | gold plated vertical brush hoods. | 10.98 | | Set | A |
| PRO-635 | Gold plated horizontal brush hoods. | 10.98 | | Set | A |
| PRO-640 | Magnet clips for Pro Slot & Champion C-cans. | 2.64 | .. | 12 pcs. | A |
| PRO-641 | Brush hood/heat sinks for Pro Slot & Champion motors, New design. | 3.98 | | Set | A |
| PRO-642 | Complete hardware set for Pro Slot & Champion motors. Includes oilite, spring cups, & screws. | 6.50 | | Set | A |
| PRO-643 | Complete endbell kit for Pro Slot & Champion motors. Includes endbell, hardware, spring cups, &... | 9.00 | | Set | A |
| PRO-650 | Unstrippable .050" allen wrench & guide tool combo. tool. | 11.00 | ... | Each | A |
| PRO-670-36 | 36 tooth 64 pitch super light polymer spur gear for 3/32" axle. | 3.00 | ... | Each | A |
| PRO-670-37 | 37 tooth 64 pitch super light polymer spur gear for 3/32" axle. | 3.00 | ... | Each | A |
| PRO-670-38 | 38 tooth 64 pitch super light polymer spur gear for 3/32" axle. | 3.00 | ... | Each | A |
| PRO-670-39 | 39 tooth 64 pitch super light polymer spur gear for 3/32" axle. | 3.00 | ... | Each | A |
| PRO-670-40 | 40 tooth 64 pitch super light polymer spur gear for 3/32" axle. | 3.00 | ... | Each | A |
| PRO-671-36 | Bulk pack of 36 tooth 64 pitch super light polymer spur gears for 3/32" axle. | 68.75 | .. | 25 cd. | A |
| PRO-671-37 | Bulk pack of 37 tooth 64 pitch super light polymer spur gears for 3/32" axle. | 68.75 | .. | 25 cd. | A |
| PRO-671-38 | Bulk pack of 38 tooth 64 pitch super light polymer spur gears for 3/32" axle. | 68.75 | .. | 25 cd. | A |
| PRO-671-39 | Bulk pack of 39 tooth 64 pitch super light polymer spur gears for 3/32" axle. | 68.75 | .. | 25 cd. | A |
| PRO-671-40 | Bulk pack of 40 tooth 64 pitch super light polymer spur gears for 3/32" axle. | 68.75 | .. | 25 cd. | A |
| PRO-672-27 | 27 tooth 48 pitch super light polymer spur gear for 1/8" axle. | 3.00 | ... | Each | A |
| PRO-672-28 | 28 tooth 48 pitch super light polymer spur gear for 1/8" axle. | 3.00 | ... | Each | A |
| PRO-672-29 | 29 tooth 48 pitch super light polymer spur gear for 1/8" axle. | 3.00 | ... | Each | A |
| PRO-672-30 | 30 tooth 48 pitch super light polymer spur gear for 1/8" axle. | 3.00 | ... | Each | A |
| PRO-672-31 | 31 tooth 48 pitch super light polymer spur gear for 1/8" axle. | 3.00 | ... | Each | A |
| PRO-672-32 | 32 tooth 48 pitch super light polymer spur gear for 1/8" axle. | 3.00 | ... | Each | A |
| PRO-673-27 | Bulk pack of 27 tooth 48 pitch super light polymer spur gears for 1/8" axle. | 68.75 | .. | 25 cd. | A |
| PRO-673-28 | Bulk pack of 28 tooth 48 pitch super light polymer spur gears for 1/8" axle. | 68.75 | .. | 25 cd. | A |
| PRO-673-29 | Bulk pack of 29 tooth 48 pitch super light polymer spur gears for 1/8" axle. | 68.75 | .. | 25 cd. | A |
| PRO-673-30 | Bulk pack of 30 tooth 48 pitch super light polymer spur gears for 1/8" axle. | 68.75 | .. | 25 cd. | A |
| PRO-673-31 | Bulk pack of 31 tooth 48 pitch super light polymer spur gears for 1/8" axle. | 68.75 | .. | 25 cd. | A |
| PRO-673-32 | Bulk pack of 32 tooth 48 pitch super light polymer spur gears for 1/8" axle. | 68.75 | .. | 25 cd. | A |
| PRO-674-40 | 40 tooth 64 pitch economy polymer spur gear for 3/32" axle. | 3.00 | ... | Each | A |

Slot Car Racing is our only business

Crawley Distributing Inc. 2005-A Catalogue

| | | | | | |
|--------------|---|-------|-----|------|---|
| PRO-700-CM25 | Super 16-C armature on "M2" blank .520" diameter .490 long 25 degree timing. Designed to fit "cans. | 23.60 | ... | Each | A |
| PRO-700-CM38 | Super 16-C armature on "M2" blank .520" diameter .490 long 38 degree timing. Designed to fit "cans. | 23.60 | ... | Each | A |
| PRO-700-CM40 | Super 16-C armature on "M2" blank .520" diameter .490 long 40 degree timing. Designed to fit "cans. | 23.60 | ... | Each | A |
| PRO-700-CM45 | Super 16-C armature on "M2" blank .520" diameter .490 long 45 degree timing. Designed to fit "cans. | 23.60 | ... | Each | A |
| PRO-700-CM50 | Super 16-C armature on "M2" blank .520" diameter .490 long 40 degree timing. Designed to fit "cans. | 23.60 | ... | Each | A |
| PRO-700-M25 | Super 16-D armature on "M2" blank .520" diameter .490" long 25 degree timing. | 23.60 | ... | Each | A |
| PRO-700-M38 | Super 16-D armature on "M2" blank .520" diameter .490" long 38 degree timing. | 23.60 | ... | Each | A |
| PRO-700-M40 | Super 16-D armature on "M2" blank .520" diameter .490" long 40 degree timing. | 23.60 | ... | Each | A |
| PRO-700-M45 | Super 16-D armature on "M2" blank .520" diameter .490" long 45 degree timing. | 23.60 | ... | Each | A |
| PRO-700-M50 | Super 16-D armature on "M2" blank .520" diameter .490" long 40 degree timing. | 23.60 | ... | Each | A |
| PRO-700-SM40 | Outlaw Super 16-D armature on "M2" blank .450" stack length .520 diameter 40 degree timing. | 23.60 | ... | Each | A |
| PRO-700-SM45 | Outlaw Super 16-D armature on "M2" blank .450" stack length .520 diameter 45 degree timing. | 23.60 | ... | Each | A |
| PRO-700-SM50 | Outlaw Super 16-D armature on "M2" blank .450" stack length .520 diameter 50 degree timing. | 23.60 | ... | Each | A |
| PRO-701-I38 | X-12/Box Stock armature on Intruder blank .513" diameter .350" long 38 degree timing. | 25.30 | ... | Each | A |
| PRO-701-I42 | X-12/Box Stock armature on Intruder blank .513" diameter .350" long 42 degree timing. | 25.30 | ... | Each | A |
| PRO-701-M35 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 35 degree timing. | 25.30 | ... | Each | A |
| PRO-701-M38 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 38 degree timing. | 25.30 | ... | Each | A |
| PRO-701-M40 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 40 degree timing. | 25.30 | ... | Each | A |
| PRO-701-M42 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 42 degree timing. | 25.30 | ... | Each | A |
| PRO-701-M45 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 45 degree timing. | 25.30 | ... | Each | A |
| PRO-701-M50 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 50 degree timing. | 25.30 | ... | Each | A |
| PRO-701-MD38 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 38 degree timing. Drill blank shafts. | 29.30 | ... | Each | A |
| PRO-701-MD40 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 40 degree timing. Drill blank shafts. | 29.30 | ... | Each | A |

Slot Car Racing is our only business

Crawley Distributing Inc. 2005-A Catalogue

| | | | | | |
|----------------|---|-------|-----|------|---|
| PRO-701-MD42 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 42 degree timing. Drill blank shafts. | 29.30 | ... | Each | A |
| PRO-701-MD45 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 45 degree timing. Drill blank shafts. | 29.30 | ... | Each | A |
| PRO-701-MD50 | X-12/Box Stock armature on "M2" blank .513" diameter .350" long 50 degree timing. Drill blank shafts. | 29.30 | ... | Each | A |
| PRO-701-MLD-38 | X-12/Box Stock armature on "M2" blank .518" diameter .350" long 38 degree timing. Drill blank shafts. | 29.30 | ... | Each | A |
| PRO-701-MLD-42 | X-12/Box Stock armature on "M2" blank .518" diameter .350" long 42 degree timing. Drill blank shafts. | 29.30 | ... | Each | A |
| PRO-701-MLD-45 | X-12/Box Stock armature on "M2" blank .518" diameter .350" long 45 degree timing. Drill blank shafts. | 29.30 | ... | Each | A |
| PRO-702-35 | Group 15 spec armature .513" diameter .440" long 35 degree timing | 25.30 | ... | Each | A |
| PRO-703-M40 | Group 20 armature on "M2" blank .513" diameter .440" long 40 degree timing. | 28.50 | ... | Each | A |
| PRO-703-M45 | Group 20 armature on "M2" blank .513" diameter .440" long 45 degree timing. | 28.50 | ... | Each | A |
| PRO-703-M50 | Group 20 armature on "M2" blank .513" diameter .440" long 50 degree timing. | 28.50 | ... | Each | A |
| PRO-704-M40 | Super Wasp armature on "M2" blank .513" diameter .350" long 40 degree timing. | 23.60 | ... | Each | A |
| PRO-704-M45 | Super Wasp armature on "M2" blank .513" diameter .350" long 45 degree timing. | 23.60 | ... | Each | A |
| PRO-704-M50 | Super Wasp armature on "M2" blank .513" diameter .350" long 50 degree timing. | 23.60 | ... | Each | A |
| PRO-705-BM40 | Contender armature balanced on "M2" blank. Designed to fit "C" cans, .513" diameter, 40 degree timing. | 23.60 | ... | Each | A |
| PRO-705-BM45 | Contender armature balanced on "M2" blank. Designed to fit "C" cans, .513" diameter, 45 degree timing. | 23.60 | ... | Each | A |
| PRO-705-M40 | Contender armature unbalanced on "M2" blank. Designed to fit "C" cans, .513" diameter, 40 degree timing. | 23.60 | ... | Each | A |
| PRO-705-M45 | Contender armature unbalanced on "M2" blank. Designed to fit "C" cans, .513" diameter, 45 degree timing. | 23.60 | ... | Each | A |
| PRO-706-40 | American made 16-d armature. 70 turns of 30 gauge wire, .600" long, .518" diameter, 40 degree timing. | 23.60 | ... | Each | A |
| PRO-706-45 | American made 16-d armature. 70 turns of 30 gauge wire, .600" long, .518" diameter, 45 degree timing. | 23.60 | ... | Each | A |
| PRO-706-50 | American made 16-d armature. 70 turns of 30 gauge wire, .600" long, .518" diameter, 50 degree timing. | 23.60 | ... | Each | A |
| PRO-706-B25 | Special Order American made 16-d armature, balanced. 70 turns of 30 gauge wire, .600" long, 25 degree timing. | 23.60 | ... | Each | A |
| PRO-706-B40 | American made 16-d armature, balanced. 70 turns of 30 gauge wire, .600" long, .513" diameter, 40 degree timing. | 23.60 | ... | Each | A |
| PRO-706-B45 | American made 16-d armature, balanced. 70 turns of 30 gauge wire, .600" long, .513" diameter, 45 degree timing. | 23.60 | ... | Each | A |
| PRO-706-B50 | American made 16-d armature, balanced. 70 turns of 30 gauge wire, .600" long, .513" diameter, 50 degree timing. | 23.60 | ... | Each | A |

Slot Car Racing is our only business

Crawley Distributing Inc. 2005-A Catalogue

| | | | | | |
|--------------|---|--------|-------|---------|---|
| PRO-708-B | Group 20 armature, .495" diameter, .440" stack length, .965" overall length. | 29.25 | ... | Each | A |
| PRO-708-C | Group 20 armature, .495" diameter, .440" stack length, .935 overall length. | 29.25 | ... | Each | A |
| PRO-708-E | Group 20 armature, .480" diameter, .440" stack length, .965" overall length. | 29.25 | ... | Each | A |
| PRO-711 | Endbell blank w/oilite for Pro Slot & Champion motors. | 4.35 | ... | Each | A |
| PRO-714 | Lightweight C-can w/ oilite. Fits Pro Slot & Champion motors. | 7.50 | ... | Each | A |
| PRO-714-PRO | Blueprinted C-can w/ oilite. | 10.95 | ... | Each | A |
| PRO-716 | 2mm x 5mm motor oilite bushings. | 7.80 | .. | 12 cd. | A |
| PRO-717 | T5 "Torx" self tapping screws for endbell & can. | 2.40 | .. | 8 pcs. | A |
| PRO-717-B | Bulk pack of T5 "Torx" self tapping screws for endbell & can. | 12.50 | . | 50 pcs. | A |
| PRO-718 | "Dragmaster" Competition Series Purple Dot set-up w/ oilites. | 52.00 | ... | Each | A |
| PRO-719 | "Dragmaster" Competition Series Purple Dot set-up w/ ball bearings. | 72.00 | ... | Each | A |
| PRO-722 | Aluminum alloy spring cups for Pro slot & Champion motors. | 16.20 | .. | 12 pr. | A |
| PRO-723-M38 | X-12/Box Stock motor w/ "M2" blank armature, 38 degree timing. | 40.53 | ... | Each | A |
| PRO-723-M40 | X-12/Box Stock motor w/ "M2" blank armature, 40 degree timing. | 40.53 | ... | Each | A |
| PRO-723-M45 | X-12/Box Stock motor w/ "M2" blank armature, 45 degree timing. | 40.53 | ... | Each | A |
| PRO-723-MD45 | X-12/Box Stock motor w/ "M2" blank drill blank shaft armature, 45 degree timing. | 44.53 | ... | Each | A |
| PRO-724 | Armature spacer kit. Includes 2 phenolic washers and 8 brass motor washers. | 1.00 | | Set | A |
| PRO-729-40M | Unbalanced Contender motor w/ "M2" blank armature and Mega 2 magnets, 40 degree timing. | 37.00 | ... | Each | A |
| PRO-729-45M | Unbalanced Contender motor w/ "M2" blank armature and Mega 2 magnets, 45 degree timing. | 37.00 | ... | Each | A |
| PRO-729B-40M | Balanced Contender motor w/ "M2" blank armature and Mega 2 magnets, 40 degree timing. | 37.00 | ... | Each | A |
| PRO-729B-45M | Balanced Contender motor w/ "M2" blank armature and Mega 2 magnets, 45 degree timing. | 37.00 | ... | Each | A |
| PRO-730-35M | Group 20 motor w/ "M2" blank armature and Mega 2 magnets, 35 degree timing. | 43.00 | ... | Each | A |
| PRO-730-40M | Group 20 motor w/ "M2" blank armature and Mega 2 magnets, 40 degree timing. | 43.00 | ... | Each | A |
| PRO-730-45M | Group 20 motor w/ "M2" blank armature and Mega 2 magnets, 45 degree timing. | 43.00 | ... | Each | A |
| PRO-732-M38 | Super Wasp motor w/ "M2" blank armature, 38 degree timing. | 39.00 | ... | Each | A |
| PRO-732-M42 | Super Wasp motor w/ "M2" blank armature, 42 degree timing. | 39.00 | ... | Each | A |
| PRO-733 | "Dragmaster" Competition Series Purple Dot Top Gun motor, 18 Turn 24.5 gauge armature w/ oilites. | 103.00 | ... | Each | A |
| PRO-734-M40 | Super 16-c motor w/ "M" blank armature, 40 degree timing. | 33.00 | ... | Each | A |
| PRO-734-M45 | Super 16-c motor w/ "M" blank armature, 45 degree timing. | 33.00 | ... | Each | A |
| PRO-740-42 | Blueprinted box stock/group 12 motor, 42 degree timing. | 54.25 | ... | Each | A |
| PRO-740-45 | Blueprinted box stock/group 12 motor, 45 degree timing. | 54.25 | ... | Each | A |
| PRO-740-45BB | Blueprinted box stock/group 12 motor, 45 degree timing, dual ball bearing. | 74.25 | ... | Each | A |
| PRO-740-PRO | Professional blueprinted box stock/group 12 motor, 45 degree timing. | 72.00 | ... | Each | A |
| PRO-740PROBB | Professional blueprinted box stock/group 12 motor, 45 degree timing, dual ball bearing. | 92.00 | ... | Each | A |
| PRO-742-45 | Blueprinted group 20 motor w/ Mega 2 magnets, 45 degree timing. | 55.75 | ... | Each | A |

Slot Car Racing is our only business

Crawley Distributing Inc. 2005-A Catalogue

| | | | | | |
|------------|--|--------|------|---------|---|
| PRO-743-40 | Blueprinted Group 20 motor w/ "M" blank armature & quad magnets. 40 degree timing. | 60.00 | ... | Each | A |
| PRO-743-45 | Blueprinted group 20 motor w/ quad magnets, 45 degree timing. | 70.25 | ... | Each | A |
| PRO-744-45 | Blueprinted Slotworks Twister motor w/ unbalanced American made 16-D armature, 45 degree timing. | 37.00 | ... | Each | A |
| PRO-745-40 | Blueprinted Slotworks Twister motor w/ balanced American made 16-D armature, 40 degree timing. | 38.00 | ... | Each | A |
| PRO-745-45 | Blueprinted Slotworks Twister motor w/ balanced American made 16-D armature, 45 degree timing. | 38.00 | ... | Each | A |
| PRO-746-40 | Blueprinted Slotworks Twister motor w/ balanced American made super 16-D armature, 40 degree timing. | 38.00 | ... | Each | A |
| PRO-746-45 | Blueprinted Slotworks Twister motor w/ balanced American made super 16-D armature, 45 degree timing. | 38.00 | ... | Each | A |
| PRO-747 | "Dragmaster" C-can. | 10.95 | ... | Each | A |
| PRO-748-12 | "Dragmaster" Competition Series Purple Dot group 12 motor w/ oilites. | 83.50 | ... | Each | A |
| PRO-748-20 | "Dragmaster" Competition Series Purple Dot group 20 motor w/ oilites. | 83.50 | ... | Each | A |
| PRO-749 | "C" can setup w/o magnets. | 16.00 | ... | Each | A |
| PRO-750 | "C" can set-up w/ Mega III magnets. | 27.25 | ... | Each | A |
| PRO-752 | Set of 8 1/4" long T5 Torx screws for spring cups. | 2.80 | ... | Pack | A |
| PRO-851-A | 15t x 23g open armature, .459" diameter. Fail safe commutator. | 57.50 | ... | Each | A |
| PRO-851-B | 15t x 24g open armature, .459" diameter. Fail safe commutator. | 57.50 | ... | Each | A |
| PRO-851-C | 16t x 24g open armature, .459" diameter. Fail safe commutator. | 57.50 | ... | Each | A |
| PRO-851-F | 16t x 24.5g open armature, .459" diameter. Fail safe commutator. | 57.50 | ... | Each | A |
| PRO-851-G | 17t x 24.5g open armature, .459" diameter. Fail safe commutator. | 57.50 | ... | Each | A |
| PRO-851-H | 18t x 24.5g open armature, .459" diameter. Fail safe commutator. | 57.50 | ... | Each | A |
| PRO-851-I | 19t x 24.5g open armature, .459" diameter. Fail safe commutator. | 57.50 | ... | Each | A |
| PRO-851-X | 14t x 23 open armature, .459" diameter for drag racing | 57.50 | ... | Each | A |
| PRO-900 | "Gold Dust" professional grade motor brushes. | 21.00 | .. | 6 pair | A |
| PRO-901 | Bulk pack of "Gold Dust" professional grade motor brushes. | 157.50 | . | 50 pair | A |
| PRO-903 | Gold Dust motor brushes cut for vertical brush hoods. | 24.00 | .. | 6/pair | A |
| PRO-905 | "SMQ" single magnet quads. Performs like quad magnets. | 9.50 | | Pair | A |
| PRO-906 | Matched "SMQ" single magnet quads. Performance of quad magnets. | 13.50 | | Pair | A |
| PRO-907 | "HEQ" high energy quad magnets. Features long tips for added torque. | 22.00 | | Pair | A |
| PRO-908 | Computer matched "Mega 2" C can ceramic magnets. | 11.00 | | Pair | A |
| PRO-909 | "Dragmaster" Purple Dot quad magnets. | 22.00 | ... | Each | A |
| PRO-910 | 15A Monster magnets. | 35.00 | | Pair | A |
| PRO-912 | Computer matched "Mega 3" C can ceramic magnets, .450" long. | 13.00 | | Pair | A |

Slot Car Racing is our only business